



ADDENDUM #1

To: 1003-650-38-3141

RFP for Supply and Install Playground Equipment at Encanta Villas

Date: April 13, 2010

Delete section 3.3.2 and replace with the following

3.3.2 Tables and benches shall be as manufactured by Doty & Sons Concrete Products, Inc., 1275 East State St., Sycamore, IL 60178 or River City Concrete Products, 12955 Blue Wing Road, San Antonio, TX 78223 – 210-732-8591.

Delete section 3.3.2.1 and replace with the following

- 3.3.2.1** Picnic tables are 7' length concrete.
Cement: Portland very light gray color, conforming to ASTM C-150 Type 1, chemically entrained air content 6-8%, average strength 4,000 PSI minimum (after 28 days).
Aggregates: All aggregates to meet ASTM C33 specifications, to be cleaned of foreign matter and graded to size.
Reinforcing: 3/8" steel rebar or 6"X6"X10 gauge wire mesh placed at least 1" away from outside surfaces.
Sealer: Water base, non-gloss, clear penetrating, non-0visible, water repellent sealer (2 coats).
Finish: Concrete is placed against hard, smooth form work to achieve a smooth "as cast" finish on the precast element. Smooth as cast.
Table: Model T7284 as Manufactured by Doty & Sons Concrete Products, Inc. or equal.

Delete section 3.3.2.2 and replace with the following

- 3.3.2.2** Benches are 6' length concrete.
Cement: Portland very light gray color, conforming to ASTM C-150 Type 1, chemically entrained air content 6-8%, average strength 4,000 PSI minimum (after 28 days).
Aggregates: All aggregates to meet ASTM C33 specifications, to be cleaned of foreign matter and graded to size.
Reinforcing: 3/8" steel rebar or 6"X6"X10 gauge wire mesh placed at least 1" away from outside surfaces.
Sealer: Water base, non-gloss, clear penetrating, non-0visible, water repellent sealer (2 coats).



818 S. FLORES ST. ① SAN ANTONIO, TEXAS 78204 ① www.saha.org

Finish: Concrete is placed against hard, smooth form work to achieve a smooth “as cast” finish on the precast element. Smooth as cast.

Bench: Model B5460 as Manufactured by Doty & Sons Concrete Products, Inc. or equal.

By: Charles R Bode
Charles Bode, Asst. Director of Procurement

Date: April 13, 2010